

Switch to the
amazing



**20
20**

PRODUCTS & PRICING
MANUAL
Edition-01

www.goldmedalindia.com

At the centre of everyone's attention!



At Goldmedal, every product is designed to be exceptional in function and eye-catching in appearance. The Ringo is no different. It stands out from the rest with its convention-defying form, function and usability. Its perfectly circular inserts are seamlessly encased within circular channels – giving the user a unique sensory experience and making the Ringo a captivating presence on the walls. Designed for the true stylist and those who believe in following their own rules, the Ringo is a sure-shot conversation starter.

The Ringo is another step in Goldmedal's journey of creating products that will delight our end consumers. Every aspect of its design has been considered to ensure that the refinement is not skin deep. It is this attention to detail that has made Goldmedal synonymous with quality even as it offers clutter-breaking products.

The following pages introduces you to some of Goldmedal's latest product offerings, including our complete range of modular and mini modular products and accessories. We are sure you'll find products that are just right for your home and office.


RINGO

THE CENTRE OF ATTRACTION

arriving shortly...



Goldmedal, Curve, Nixon & Ringo are registered trademarks of Goldmedal Electricals Pvt. Ltd.
Copyright protected by Goldmedal. No part of this catalogue may be printed or duplicated without
consent of Goldmedal Electricals Pvt. Ltd. Patent, Trademark & Designs protected.



Gifa Xg Absolute White Cover Plate with G-slide Switch
in Titanium Grey

Gifa Xg Absolute White Cover Plate with G-line Switches
in Titanium Grey

X9

It's the cover plate with the X-factor. Shaped like an eye-catching curved TV, the X9 cover plate exhibits the aesthetics of an artistic centerpiece. Mount it on the wall and its curved shape lends this cover plate a floating look that appears ultra premium in any setting. Available in a variety of finishes, the X9 is a cover plate that's distinctly a cut above the rest.




Gifa Ag Mountain Dew Cover Plate With G-slide Switch
in Titanium Grey



Gifa Ag Mountain Dew Cover Plate With G-slide Switches
in Titanium Grey

A9

The shape and texture of the Ag offers a modern, contemporary feel while the unique colours of these cover plates add a touch of warmth and elegance to the ambience. Overall, the Ag is the perfect choice for creating relaxed, peaceful environments – whether at home or office. These cover plates can effortlessly complement as well as contrast with your interiors – the choice is entirely yours.



Air A5 Absolute White Cover Plate with Aero Switch
in Absolute White

A5 Absolute White Cover Plate with Aero Switches
in Titanium Grey

A5

The new A5 cover plate is a mix of playful elegance and contemporary styling. Gently curved with rounded corners and a sleek chrome border around the inner frame, the A5 is a refreshingly clean and modern design with a dash of added fun. Like other AIR cover plates, the A5 is restrained in a quiet, refined manner without being dull and boring. Introduce A5 to your interiors to exhibit that rare combination of elegance and charming playfulness!



Air A7 Absolute White Plate with Aero Switch
in Absolute White

A7 Absolute White Cover Plate With Aero Switches
in Titanium Grey

A7

The AIR A7 cover plate is a wonderful example of contemporary minimalistic design with sophisticated functionality. This is an ultra-flat plate with softly rounded corners and a sleek chrome border around the inner frame. Characterised by AIR's familiar austere yet elegant looks, the A7 offers a quiet and reserved presence without appearing mundane. A quintessential modern-day switch plate, the A7 adds a touch of elegance to every setting.

Wega Absolute White Cover Plate with G-click Switches



Wega Titanium Grey Cover Plate with G-click Switches



Wega Champagne Gold Cover Plate with G-click Switches



Wega Titanium Silver Cover Plate with G-click Switches



Wega Junglee Wenge Cover Plate with G-click Switches



Wega Dark Espresso Cover Plate with G-click Switches



WEGA

The Wega, with its symmetrical peaks and slopes on four sides, is a unique cover plate from Goldmedal. The undulating shape creates an interplay of light that's a delight to the senses. Place it in any setting and it's sure to catch everyone's attention. From any angle. The Wega cover plates are now available in six lustrous colour options. Each one of them magnificent in its own way.



Code	Item	MRP ₹		Pkg.
		White Jazz	Digital Chrome Voltage Grey	
10AX SWITCHES 240V~ (1 Module)				
101001	1 Way Switch	66.00	73.00	20/600
101002	1 Way Switch with Indicator (LED)	124.00	137.00	20/600
101003	2 Way Switch	124.00	137.00	20/600
101004	Bell Push Switch	135.00	149.00	20/600
101005	Bell Push Switch with Indicator (LED)	154.00	170.00	20/600
10AX SWITCHES 240V~ (2 Module)				
102010	1 Way Switch	138.00	151.00	10/300
102011	1 Way Switch with Indicator (LED)	155.00	171.00	10/300
102012	2 Way Switch	172.00	189.00	10/300
102013	Bell Push Switch	172.00	189.00	10/300
102014	Bell Push Switch with Indicator (LED)	192.00	211.00	10/300
6AMP BELL PUSH 240V~ (2 Module)				
102015	Bell Push with Luminous Name Plate 240V~ 50-60Hz LED circuit with diffuser	239.00	239.00	10/300
10AX SWITCHES 240V~ (3 Module)				
103017	1 Way Switch	119.00	129.00	10/300
103018	2 Way Switch	134.00	146.00	10/300
103019	Bell Push Switch	140.00	152.00	10/300
20AMP / 25 AMP SWITCHES 240V~ (1 Module)				
101020	20A 1 Way Switch	165.00	182.00	20/600
101021	20A 1 Way Switch with Indicator (LED)	186.00	205.00	20/600
101022	20A 2 Way Switch	186.00	205.00	20/600
101023	25A 1 Way Switch	203.00	223.00	20/600
20AMP / 25AMP SWITCHES 240V~ (2 Module)				
102025	1 Way Switch	193.00	212.00	10/300
102026	1 Way Switch with Indicator (LED)	212.00	233.00	10/300
102027	2 Way Switch	223.00	245.00	10/300
102028	25A 1 Way Switch	242.00	266.00	10/300


Code	Item	MRP ₹		Pkg. Outer/ Master
		White Jazz	Digital Chrome Voltage Grey	
20AMP SWITCHES 240V~ (3 Module)				
103029	1 Way Switch	155.00	170.00	10/300
103030	2 Way Switch	168.00	184.00	10/300
32AMP DP SWITCHES 240V~				
102031	DP Switch with Indicator (LED) - 2M	319.00	351.00	10/300
103033	DP Switch -3M	278.00	306.00	10/300
6AMP / 6&16AMP SOCKETS 240V~				
101035	6A 2 Pin Socket (1M) with safety shutter	111.00	123.00	20/600
102036	6A 3 Pin Multi Socket (2M) with safety shutter	100.00	110.00	10/450
102037	6A 2x1 Socket (2M) with safety shutter	124.00	137.00	10/450
102039	10A International Socket (2M) with safety shutter	216.00	238.00	10/450
102040	6A Universal Socket (2M) with mobile socket & safety shutter	144.00	159.00	10/450
102041	6&16A Universal Socket (2M) with safety shutter	234.00	257.00	10/450
25AMP / 6&16AMP SOCKETS 240V~				
102042	25A 3 Pin Socket (2M) with safety shutter	257.00	284.00	10/450
103043	6&16A Universal Socket (3M) with safety shutter	220.00	230.00	10/300
DIMMERS 240 V~				
101045	Dimmer (1M) 240V 50-60Hz 300-450W	282.00	311.00	20/600
102046	Dimmer (2M) 240V 50-60Hz 300-450W	383.00	422.00	10/300
102047*	Dimmer (2M) 240V 50-60Hz 300-1000W	562.00	618.00	10/300
FAN REGULATOR 240V~				
101051	Step Regulator (1M) 4 Step, 240V 50-60 Hz	415.00	457.00	20/600
102052	Step Regulator (2M) 5 Step, 240V 50-60 Hz	449.00	494.00	10/300
102052A	Step Regulator - Full Rotary (2M) 5 Step, 240V 50-60 Hz - Regulator Supplied in ISI & Non ISI	449.00	494.00	10/300
MOTOR STARTER (SP) 240V~ 50-60Hz (2 Module)				
102056	10A Starter Switch	582.00	639.00	10/300
102057	16A Starter Switch	582.00	639.00	10/300
102058	20A Starter Switch	582.00	639.00	10/300
102059	25A Starter Switch	582.00	639.00	10/300
	* introducing shortly			





Code	Item	MRP ₹		Pkg. Outer/ Master
		White Jazz	Digital Chrome Voltage Grey	
TV SOCKET / RJ-11 TELEPHONE JACKS (1 Module)				
101062	TV Socket Coaxial 40-862 Mhz Socket	135.00	149.00	20/900
101069	RJ-11 Single Telephone Jack with Screw Terminal & Name Plate	126.00	139.00	20/600
101070	RJ-11 Double Telephone Jack with Screw Terminal	159.00	174.00	20/600
EDP SOCKET OUTLET RJ-45 WITH NAME PLATE (1 Module)				
101072	EDP Socket Outlet - RJ 45 (Cat 5e) Category 5e, Universal wiring T568A, insulating-piercing terminal with shutter	222.00	244.00	20/600
101074	EDP Socket Outlet - RJ 45 (Cat 6e) Category 6e, Universal wiring T568A, insulating-piercing terminal with shutter	582.00	639.00	20/600
SINGLE POLE MCBS 240/450V~ (1 Module)				
101077	C6 SP MCB	293.00	322.00	20/600
101078	C10 SP MCB	293.00	322.00	20/600
101079	C16 SP MCB	293.00	322.00	20/600
101080	C20 SP MCB	293.00	322.00	20/600
101081	C25 SP MCB	293.00	322.00	20/600
101082	C32 SP MCB 240/450V~ 50-60Hz 3kA Breaking Capacity	293.00	322.00	20/600
DOUBLE POLE MCBS 240/450V~ (2 Module)				
102083	C6 DP MCB	606.00	667.00	10/300
102084	C10 DP MCB	606.00	667.00	10/300
102085	C16 DP MCB	606.00	667.00	10/300
102086	C20 DP MCB	606.00	667.00	10/300
102087	C25 DP MCB	606.00	667.00	10/300
102088	C32 DP MCB 240/450V~ 50-60Hz 3kA Breaking Capacity	606.00	667.00	10/300
INDICATOR, FUSE UNITS (1 Module)				
101093	Indicator with LED & Red Diffuser	112.00	124.00	20/600
101098	Fuse Carrier 10 / 16AMP with miniature fuse dia 6.3x28	158.00	173.00	20/600
STEP MARKER LAMP (2 Module)				
102105	Step Marker Supply voltage 240V~ 50-60Hz with high-efficiency 1W LED & adjustable beam on three levels	547.00	602.00	5/120

Code	Item	MRP ₹		Pkg.
		White Jazz	Digital Chrome Voltage Grey	
FLOOR & STEP LIGHT 240~ (4 Module)				
120405	G-Focus Light (Blue, White & Warm White LED)	703.00	773.00	5/120
120406	G-Focus Light Trio (LED) Fully recessed floor & step light with support frame & glassio cover plate with 3 color inbuilt LED Supply voltage 240V~50-60Hz	768.00	845.00	5/120
ELECTRONIC HAND LAMP 240V~ (2 Module)				
102114	TORCIA Electronic hand lamp with high-efficiency 0.5W LED, automatic emergency device, rechargeable & replaceable Ni-MH battery, 2 hours operating range - Battery included (102115)	1049.00	1154.00	5/120
102115	Ni-MH 4.8V 80 mAh Battery (Spare parts)	240.00		N.A.
101123	AAA Ni-MH 1.2V 1100 mAh without “memory” effect interchangeable - 3 Batteries set (Spare parts)	398.00		N.A.
LIGHTING FITTING WITH EMERGENCY FUNCTION 240V~				
102119	Lighting Fitting with Emergency Function (2M) with High Efficiency 2x0.5W LED	1022.00	1122.00	5/100
103121	Lighting Fitting with Emergency Function (3M) with High Efficiency 3x0.5W LED Supply voltage 240V~ 50Hz 3 Steps Dimming Switch 240V~ 50Hz When battery is inserted, the device will function as an emergency light - Batteries supplied seprately (101124)	1375.00	1515.00	5/100
EMERGENCY LIGHT BATTERY				
101124	Battery Li-ion, 3.6V 600MAH 2/3A	261.00	-	20/600
BLANK MODULE/CORD GRIPPER (1 M)				
101125	Blank Module	27.00	29.00	50/200
101127	Cord Gripper (Output ϕ 9mm)	64.00	70.00	20/600





Code	Item	MRP ₹		Pkg. Outer/ Master
		White Jazz	Digital Chrome Voltage Grey	
ELECTRONIC BUZZERS (2 Module)				
102138	Electronic Cuckoo Buzzer 240V~ 50-60Hz (LED)	184.00	203.00	10/300
102139	Electronic Bell 240V~ 50-60Hz (LED)	315.00	348.00	10/300
32A MAIN SWITCH (2 Module)				
102163	32A DP Operated by Key Tag 240V~, LED Supplied with Key Tag	524.00	576.00	10/300
102164	Only Key Tag with Name Plate	105.00	116.00	N.A.
25A ELECTRONIC BADGE SWITCH (3 Module)				
103165	Electronic Switch with Smart Card 25A, 160-240V~ 50-60Hz with indicator (LED) & Integral relay having exit delay.	1529.00	1679.00	5/100
103166	Smart Card Customizable Smart Card	115.00	-	N.A.
DND / MAKE MY ROOM				
102168A	Do Not Disturb/Make My Room-2M 240V~ 50-60Hz - Outside Room	415.00	455.00	10/300
102169A	Do Not Disturb/Make My Room-2M 240V~ 50-60Hz - Inside Room	445.00	489.00	10/300
SHAVER SOCKET (4 Module)				
104171	Shaver Socket (4 Module) 240V~ 50-60Hz with isolating transformer output 110/240V~	1099.00	1209.00	5/50
USB CHARGER 240V~				
102172	USB Charger - Single Port (1M) Supply voltage 160-240V~ 50-60Hz Output - 5V DC, 1000mA or 1A	840.00	925.00	10/300
102173	USB Charger - Single Port (2M) Supply voltage 160-240V~ 50-60Hz Output - 5V DC, 1000mA or 1A with inbuilt switch & dual colour LED indicator	1000.00	1102.00	5/100
102174	USB Charger - Double Port (2M) Supply voltage 160-240V~ 50-60Hz Output - 5V DC, 2000mA or 2A	990.00	1090.00	5/100
CRISTALLO SWITCH MEMORIO KNOB				
101540	1 Module Switch Knob	12.00	-	50/2000
102541	2 Module Switch Knob	19.00	-	30/900
103542	3 Module Switch Knob (with support knob)	29.00	-	20/800

Code	Item	MRP ₹		Pkg.
		White Jazz	Digital Chrome Voltage Grey	
RF TOUCH SWITCHES				
101206	RF 6A Touch Switch (1M) Supply voltage 160-240V~ 6A relay output Operating load (CFL & LED): 100W Max	1605.00	1766.00	5/120
102213	RF 6A Touch 2 Switch (2M) Supply voltage 160-240V~, 6A relay output Operating load (CFL & LED): 100W Max (per switch)	2089.00	2298.00	5/120
102207	RF 20A Touch Switch (2M) Supply voltage 160-240V~ 20A relay output Operating load (CFL & LED): 200W Max Air conditioner: 2 ton Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	1847.00	2032.00	5/120
RF TOUCH DIMMER / FAN REGULATOR (2 Module)				
102208	RF Touch Fan Regulator Supply voltage 160-240V~ Traic technology with 9 steps & digital display Operating load (Fan) : 100W	2217.00	2439.00	5/120
102214*	RF Touch Dimmer Supply voltage 160-240V~, Triac Technology with soft end & soft start function Operating load (LED) : 80W (Max) Incandescent Light: 40-450W Not suitable for Fan Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	2217.00	2439.00	5/120
RF TOUCH DRAPE CONTROLLER (2 Module)				
102209	RF Drape Controller Supply voltage 160-240V~ 2.5A relay output Electronic RF Drape Controller suitable for AC Motor Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	2465.00	2630.00	5/120
PASSIVE INFRARED DETECTOR				
101210	Passive Infrared Detector (1M) with infrared sensor, adjustable dusk/dawn sensor threshold and time delay cycle, supply voltage 240V~ 50-60Hz, 6A relay output	1099.00	1209.00	5/120
SMART PASSIVE INFRARED DETECTOR (2 Module)				
102212	Smart Passive Infrared Detector with infrared sensor, auto on/off, adjustable dusk/dawn sensor threshold and time delay cycle, supply voltage 240V~ 50-60Hz, 6A relay output	1616.00	1778.00	5/120
LPG / METANO GAS DETECTOR 240V~ (3 Module)				
103225	LPG / Metano Gas Detector Detector with acoustic and optical signaling and control on a solenoid valve, supply voltage 240V~50-60Hz	2599.00	2799.00	5/100
* introducing shortly				






Code	Item	MRP ₹		Pkg. Outer/ Master
		White Jazz	Digital Chrome Voltage Grey	
i-TOUCH RF BELL PUSH				
102238	i-Touch Bell Push Switch (2M) Supply voltage 160-240V~ 2A relay output	2300.00	2500.00	5/100
103245	i-Touch Bell Push Switch (3M) Supply voltage 160-240V~ 2A relay output	3800.00	4500.00	5/100
i-TOUCH RF 20A SWITCH				
102239	i-Touch 20A Switch (2M) Supply voltage 160-240V~, 20A relay output	3600.00	4000.00	5/100
103246	i-Touch 20A Switch (3M) Supply voltage 160-240V~, 20A relay output Operating load (CFL & LED): 200W Max Air Conditioner: 2 ton Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	5400.00	6200.00	5/100
i-TOUCH RF SWITCHES (3 Module)				
103244	i-Touch 4 Switch with Master Supply voltage 160-240V~ 6A relay output Operating load (CFL & LED):100W Max (per switch) Radio Frequency: 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	5900.00	6900.00	5/100
i-TOUCH RF LIGHT DIMMER (3 Module)				
103248	i-Touch 2 Dimmer with Master Supply voltage 160-240V~, Triac Technology with soft end & soft start function Operating load (LED): 80W (per dimmer) Incandescent Light: 40-450W (per dimmer) Radio Frequency : 433.92 Mhz Not suitable for Fan Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	4800.00	5500.00	5/100
i-TOUCH RF SWITCHES & FAN REGULATOR (3 Module)				
103249	i-Touch 2 Switch + 1 Fan Regulator with Master Supply voltage 160-240V~ Switch: 6A relay output Operating load (CFL & LED): 100W Max (per switch) Fan Regulator: Variable Capacitance based 5 steps speed Operating load (Fan): 100W Radio Frequency : 433.92 Mhz Can also be operated by Remote control-103268 or web/mobile application via Gateway-101646	6700.00	7600.00	5/100
i-TOUCH RF DRAPE CONTROLLER (3 Module)				
103252	i-Touch Drape Controller (2 Curtain) Supply voltage 160-240V~ 2.5A relay output (per chanel) Electronic RF Drape Controller suitable for AC Motor Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	4900.00	5700.00	5/100
RF REMOTE (RADIO FREQUENCY)				
103268	RF Remote with Stand 2 Nos AAA 1.5V Battery Radio Frequency : 433.92 Mhz All scene setting can be done through the Remote. - Battery not included #please refer page no. 25 for wiring diagram & technical details of Touch Switches. * introducing shortly	—	1999.00	5/100


RF i-TOUCH / RF i-FEEL / RF TOUCH SYSTEMS

Installing i-Touch, i-Feel or Touch Switches does not require any drilling or any additional wiring. Simply plug them into your existing wiring. All i-Touch, i-Feel & Touch devices are designed with Switched Mode Power Supply (SMPS) for improved reliability, over current and over voltage protection. (For specific installation and technical details, please refer to the Technical Sheet provided within the product packaging). In case you need to upgrade, these electronic Touch devices can easily replace your existing Curve / Nixon modular switches.

RF I-Touch 4 Switch + Master Switch (Wiring Diagram)




103244




Technical Specifications

- Rated Voltage: 160-240V~ 50-60Hz
- Rated Load per Switch :
 - a) Capacitive Load - CFL & LED (PF>0.8) : 100W
 - b) Resistive Load - Incandescent & Halogen Lights: 1000 W
 - c) Inductive Load - Fan and Motor : 800W
- Service Life: 50,000 Operations

RF I-Touch 2 Switch + Fan Regulator (Wiring Diagram)




103249




Technical Specifications

- Rated Voltage: 160-240V~ 50Hz
- Rated Load per switch:
 - a) Capacitive Load - CFL & LED (PF>0.8) : 100W
 - b) Resistive Load - Incandescent & Halogen Lights: 1000 W
 - c) Inductive Load - Fan and Motor - 800 W
- Rated Load: Fan Regulator - Max 100 W
- 5-Level Speed Selection with Indicator
- Service Life: 50,000 Operations

RF Touch Switch (Wiring Diagram)




101206



Technical Specifications

- Rated Voltage: 160-240V~ 50-60Hz
- Rated Load:
 - a) Capacitive Load - CFL & LED (PF>0.8) : 100W
 - b) Resistive Load - Incandescent & Halogen Lights: 1000 W
 - c) Inductive Load - Fan and Motor : 800W
- Service Life: 50,000 Operations

RF Touch Fan Regulator (Wiring Diagram)



102208



Technical Specifications

- Rated Voltage: 160-240V~ 50Hz
- Rated Load: Max 100 W.
- 9 Level Speed Selection
- 7 Segment Digital Display for Indicating Speed Level of the Fan.
- Service Life: 50,000 Operations

Wire colour codes: ■ Red (live),
■ Black (neutral),
■ Blue (load).





Code	Item	MRP ₹		Pkg.
		White Jazz	Digital Chrome Voltage Grey	

MP4 PLAYER DETACHABLE (4 Module)				
104271*	Mp4 Player Detachable Supply voltage 240V~ 2.8" wide screen TFT LCD Display, Feather Touch interface integrated with 8GB flash memory. Rechargeable lithium battery with audio playtime 20 hrs. Digital video playback, Music Player, FM Radio, E-book & Photos USB cable & stereo earphone included	-	8400.00	5/50

BLUETOOTH PLAYER				
102273	Bluetooth Player (2M) Supply voltage 240V~ Bluetooth player with transmitter & receiver. Multi colour LED to display different status Audio input - 3.5mm jack, Bluetooth (Rx mode) Audio output - Can be connected to bluetooth speaker or headphones in Tx mode (Input - Aux in) - Can be connected to any music system, home audio system, speakers i.e ceiling or inwall through amplifier via Line out Amplifier supplied separately - 101320	4900.00	5600.00	5/100

BLUETOOTH & FM PLAYER (8 Module)				
108274	Bluetooth & FM Player with Speaker Supply voltage 240V~ Mode selection -Aux (Line 1), Aux (Line 2), FM & Bluetooth. Audio input - 3.5 jack (Front), Line In (Back), Bluetooth Audio output - Inbuilt Stereophonic Speaker 3W x 2 - Can be connected to any music system, home audio system, speakers i.e ceiling or inwall through amplifier via Line out Amplifier supplied separately - 101320	5999.00	6499.00	5/50

JUKE BOX (4 Module)				
104277*	Juke Box with Remote Supply voltage 240V~ Touch Screen interface with inbuilt FM Radio, TFT with Multi Colour LCD display Micro SD Card slot, USB Drive 2.0 High speed. Audio input & output - 3.5mm jack Audio output - Stereo Line out, 2 Speaker out 3W each - Can be connected to any music system, home audio system, speakers i.e ceiling or inwall through amplifier via Line out (Aux out) Amplifier supplied separately - 101320	7200.00	8300.00	5/50


Code	Item	MRP ₹		Pkg.
		White Jazz	Digital Chrome Voltage Grey	

i - DOCK PLAYER (4 Module)				
104281	i-Dock Player Supply voltage 240V~ Inbuilt stereo amplifier : 2 x 4W, charging function for i-pod & i-phone. Audio input - 3.5mm jack, i-pod, i-phone & via Bluetooth Receiver (101283) Audio output - Stereo Line out, 2 Speaker out 4W each - Can be connected to any music system, home audio system, speakers i.e ceiling or inwall through amplifier via Line out (Aux out) - Amplifier supplied separately - 101320 - Bluetooth Receiver supplied separately - 101283 Unit supplied with infrared Remote	6100.00	6699.00	5/50


BLUETOOTH RECEIVER (PORTABLE)				
101283	Bluetooth Receiver (Portable) Made for i-pod & i-phone docking Can be operated by any bluetooth device i.e. i-pod, i-phone, i-pad, Laptop, Mobile etc.	-	2310.00	5/50

STEREOPHONIC SPEAKER (2 Module)				
102306	Stereophonic Speaker - 2piece set Stereophonic loud Speaker Load rating : 4W Impedance : 4 ohms	1399.00	1599.00	10/100






Crystallight Honey Sapphire Modular Plate with G-click Switches



Crystallight Honey Sapphire Modular Plate with Nixon Switches



Crystallight Honey Sapphire Modular Plate with G-dip Switches

Nixon

Classy and minimalistic, the Nixon range of modular inserts project a sleek, elegant presence on your walls. All Nixon products are compatible with Curve plates, making the possibilities for form, finish and colours, simply endless. Crafted in contemporary styles with minimalistic profiles in classical as well as revolutionary shades, Nixon introduces a variety of high quality lifestyle products that will change the way you look at modular switches and functions.



Code	Item	MRP ₹		Pkg. Outer/ Master
		Absolute White	Digital Silver Titanium Grey	
10AX SWITCHES 240V~ (1 Module)				
101401	1 Way Switch	67.00	74.00	20/600
101402	1 Way Switch with Indicator (LED)	129.00	142.00	20/600
101403	2 Way Switch	129.00	142.00	20/600
101404	Bell Push Switch	138.00	151.00	20/600
101405	Bell Push Switch with Indicator (LED)	158.00	173.00	20/600
10AX SWITCHES 240V~ (2 Module)				
102410	1 Way Switch	145.00	160.00	10/300
102411	1 Way Switch with Indicator (LED)	164.00	181.00	10/300
102412	2 Way Switch	183.00	201.00	10/300
102413	Bell Push Switch	183.00	201.00	10/300
102414	Bell Push Switch with Indicator (LED)	203.00	223.00	10/300
102415	Bell Push Switch with Luminous Name Plate 240V~ 50-60Hz LED circuit with diffuser	254.00	279.00	10/300
20AMP / 25AMP SWITCHES 240V~ (1 Module)				
101420	20A 1 Way Switch	172.00	189.00	20/600
101421	20A 1 Way Switch with Indicator	194.00	214.00	20/600
101422	20A 2 Way Switch	194.00	214.00	20/600
101423	25A 1 Way Switch	210.00	231.00	20/600
20AMP / 25AMP SWITCHES 240V~ (2 Module)				
102425	20A 1 Way Switch	200.00	219.00	10/300
102426	20A 1 Way Switch with Ind. (LED)	222.00	244.00	10/300
102427	20A 2 Way Switch	239.00	264.00	10/300
102428	25A 1 Way Switch	254.00	279.00	10/300
32AMP DP SWITCHES 240V~ (2 Module)				
102431	32A DP Switch with Indicator (LED)	343.00	378.00	10/300


Code	Item	MRP ₹		Pkg. Outer/ Master
		Absolute White	Digital Silver Titanium Grey	
G-Click 10AX SWITCHES 240V~ (1 Module)				NEW
101751	1 Way Switch	74.00	81.00	20/600
101752	1 Way Switch with Indicator (LED)	135.00	149.00	20/600
101753	2 Way Switch	135.00	149.00	20/600
101754	Bell Push Switch	144.00	158.00	20/600
101755	Bell Push Switch with Indicator (LED)	165.00	182.00	20/600
G-Click 10AX SWITCHES 240V~ (2 Module)				NEW
102760	1 Way Switch	152.00	167.00	10/300
102761	1 Way Switch with Indicator (LED)	172.00	189.00	10/300
102762	2 Way Switch	191.00	210.00	10/300
102764	Bell Push Switch with Indicator (LED)	212.00	233.00	10/300
G-Click 20AMP / 25AMP SWITCHES 240V~ (1 Module)				NEW
101770	20A 1 Way Switch	180.00	198.00	20/600
101771	20A 1 Way Switch with Indicator	204.00	224.00	20/600
101772	20A 2 Way Switch	204.00	224.00	20/600
101773	25A 1 Way Switch	220.00	242.00	20/600
G-Click 20AMP / 25AMP SWITCHES 240V~ (2 Module)				NEW
102775	20A 1 Way Switch	209.00	230.00	10/300
102776	20A 1 Way Switch with Ind. (LED)	232.00	255.00	10/300
102777	20A 2 Way Switch	251.00	276.00	10/300
102778	25A 1 Way Switch	266.00	293.00	10/300
G-Click 32AMP DP SWITCHES 240V~ (2 Module)				NEW
102781	32A DP Switch with Indicator (LED)	360.00	396.00	10/300





Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	
G-dip 10AX SWITCHES 240V~ (1 Module)				NEW
101801	1 Way Switch	67.00	74.00	20/600
101802	1 Way Switch with Indicator (LED)	129.00	142.00	20/600
101803	2 Way Switch	129.00	142.00	20/600
101804	Bell Push Switch	138.00	151.00	20/600
101805	Bell Push Switch with Indicator (LED)	158.00	173.00	20/600
G-dip 10AX SWITCHES 240V~ (2 Module)				NEW
102810	1 Way Switch	145.00	160.00	10/300
102811	1 Way Switch with Indicator (LED)	164.00	181.00	10/300
102812	2 Way Switch	183.00	201.00	10/300
102813	Bell Push Switch	183.00	201.00	10/300
102814	Bell Push Switch with Indicator (LED)	203.00	223.00	10/300
G-dip 20AMP / 25AMP SWITCHES 240V~ (1 Module)				NEW
101820	20A 1 Way Switch	172.00	189.00	20/600
101821	20A 1 Way Switch with Indicator	194.00	214.00	20/600
101822	20A 2 Way Switch	194.00	214.00	20/600
101823	25A 1 Way Switch	210.00	231.00	20/600
G-dip 20AMP / 25AMP SWITCHES 240V~ (2 Module)				NEW
102825	20A 1 Way Switch	200.00	219.00	10/300
102826	20A 1 Way Switch with Ind. (LED)	222.00	244.00	10/300
102827	20A 2 Way Switch	239.00	264.00	10/300
102828	25A 1 Way Switch	254.00	279.00	10/300
G-dip 32AMP DP SWITCHES 240V~ (2 Module)				NEW
102831	32A DP Switch with Indicator (LED)	343.00	378.00	10/300

Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	
6AMP / 13AMP SOCKETS 240V~				
101435	6A 2 Pin Socket (1M) with safety shutter	113.00	125.00	20/600
102437	6A 2x1 Socket (2M) with safety shutter	133.00	146.00	10/450
102439	10A International Socket (2M) with safety shutter	230.00	253.00	10/450
102440	6A Universal Socket (2M) with mobile socket & safety shutter	155.00	171.00	10/450
6&16AMP / 6&25AMP SOCKETS 240V~				
102441	6&16A Universal Socket (2M) with safety shutter	251.00	276.00	10/450
102442	6&25A Universal Socket (2M) with safety shutter	271.00	298.00	10/450
103443	6&16A Universal Socket (3M) with safety shutter	234.00	256.00	10/300
6 & 16AMP SOCKET WITH FLAP - (2 Module)				
102444	6&16A Universal Socket (2M) with flap & Indicator - 240V~	308.00	339.00	10/450
DIMMER / FAN REGULATOR 240 V~				
101445	Dimmer (1M) 240V 50-60Hz 300-450W	319.00	351.00	20/600
101451	Basic Step Regulator (1M) 4 Step, 240V 50-60 Hz	470.00	517.00	20/600
102452	Basic Step Regulator (2M) 5 Step, 240V 50-60 Hz - Regulator Supplied with ISI & Non ISI	501.00	551.00	10/300
FAN REGULATOR 240V~ (2 Module)				
102453	Galaxy Step Regulator - Half Rotary (Pure White) 5 Step, 240V 50-60 Hz	492.00	-	10/300
102454	Galaxy Step Regulator - Full Rotary (Pure White) 5 Step, 240V 50-60 Hz - Regulator Supplied with ISI & Non ISI	492.00	-	10/300
FAN REGULATOR 240V~ (2 Module)				
102453A	Galaxy Step Regulator - Half Rotary (Chrome Knob) 5 Step, 240V 50-60 Hz	514.00	565.00	10/300
102454A	Galaxy Step Regulator - Full Rotary (Chrome Knob) 5 Step, 240V 50-60 Hz	514.00	565.00	10/300





Code	Item	MRP ₹		Pkg. Outer/ Master
		Absolute White	Digital Silver Titanium Grey	
MOTOR STARTER (SP) 240V~ 50-60Hz (2 Module)				
102456	10A Motor Starter Switch	623.00	685.00	10/300
102457	16A Motor Starter Switch	623.00	685.00	10/300
102458	20A Motor Starter Switch	623.00	685.00	10/300
102459	25A Motor Starter Switch	623.00	685.00	10/300
TV SOCKET / RJ-11 TELEPHONE JACKS / EDP SOCKET (1 Module)				
101462	TV Socket Coaxial 40-862 Mhz Socket	138.00	151.00	20/900
101468	Telephone Jack - RJ 11	146.00	161.00	20/600
101472	EDP Socket Outlet - RJ 45 (Cat 5e) Category 5e, Universal wiring T568A, insulating-piercing terminal	244.00	268.00	20/600
101474	EDP Socket Outlet - RJ 45 (Cat 6e) Category 6e, Universal wiring T568A, insulating-piercing terminal	615.00	677.00	20/600
SINGLE POLE MCBS 240/450V~ (1 Module)				
101477	C6 SP MCB	313.00	344.00	20/600
101478	C10 SP MCB	313.00	344.00	20/600
101479	C16 SP MCB	313.00	344.00	20/600
101480	C20 SP MCB	313.00	344.00	20/600
101481	C25 SP MCB	313.00	344.00	20/600
101482	C32 SP MCB 240/450V~ 50-60Hz 3kA Breaking Capacity	313.00	344.00	20/600
DOUBLE POLE MCBS 240/450V~ (2 Module)				
102483	C6 DP MCB	618.00	680.00	10/300
102484	C10 DP MCB	618.00	680.00	10/300
102485	C16 DP MCB	618.00	680.00	10/300
102486	C20 DP MCB	618.00	680.00	10/300
102487	C25 DP MCB	618.00	680.00	10/300
102488	C32 DP MCB 240/450V~ 50-60Hz 3kA Breaking Capacity	618.00	680.00	10/300
G-POWER 25A UNIT (4 Module)				
104491	G-Power 25A Unit (Metal Box) with Concealed Metal Junction Box (4M Plate with 25A MCB, 25A Socket & 16A G-grip Top)	839.00	929.00	5/60
104492	G-Power 25A Unit (Plastic Box) with G-surface Plastic Gang Box (4M Plate with 25A MCB, 25A Socket & 16A G-grip Top) 240/450V~ 50-60Hz 3kA Breaking Capacity	809.00	889.00	5/60
INDICATOR / FUSE UNIT / BLANK MODULE (1 Module)				
101493	Indicator with LED & Red Diffuser	117.00	128.00	20/600
101498	Fuse Carrier (10Amp/16Amp) with miniature fuse dia 6.3x28	158.00	173.00	20/600
101525	Blank Module	29.00	31.00	50/2000

Code	Item	MRP ₹		Pkg. Outer/ Master
		Absolute White	Digital Silver Titanium Grey	
STEP MARKER				
102505	Step Marker (2M) Supply voltage 240V~ 50-60Hz with high-efficiency 0.5W LED	547.00	602.00	5/120
103506	Step Marker with Dimmable Function (3M)	1007.00	1107.00	5/100
102507	Step Marker with Dimmable Function (2M) Supply voltage 240V~ 50-60Hz with high-efficiency 2x0.5W LED & 3 level dimmable function	745.00	820.00	5/100
LIGHTING FITTING WITH EMERGENCY FUNCTION				
102510	Lighting Fitting with Emergency Function (2M) with High Efficiency 2x0.5W LED	1040.00	1119.00	5/100
103511	Lighting Fitting with Emergency Function (3M) with High Efficiency 3x0.5W LED Supply voltage 160-240V~ 50Hz Dimmable function (3 Level) The device will function as an emergency light if battery is inserted - Battery supplied separately (101124)	1466.00	1583.00	5/100
EMERGENCY LIGHT BATTERY				
101124	Battery Li-ion, 3.6V, 600mAH 2/3A	261	-	20/600
ELECTRO MECHANICAL BUZZER / ELECTRONIC BUZZER 240V ~				
101530	Electro Mechanical Buzzer (1M) 240V~50-60Hz	164.00	180.00	20/600
102539	Electronic Bell (2M) 240V~50-60Hz	372.00	409.00	10/300
ELECTRONIC DOOR BELLS (4 Module)				
104541	Electronic Multi Tune Bell with 4 selectable melodies & Supply voltage 240V~ 50-60Hz,	1034.00	1150.00	5/150
i-TOUCH RF SWITCHES / BELL PUSH (2 Module)				
102544	i-Touch 2 Switch Supply voltage 160-240V~, 6A relay output Operating load (CFL & LED): 100W Max (per switch) Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	3500.00	3900.00	5/100
102545	i-Touch Universal Switch Supply voltage 240V~, - Can be paired wirelessly with any Goldmedal RF switch, fan regulator, dimmer etc. (Touch, i-Touch and i-Feel) as a two way switch - Can be configured as a switch for any particular scene or All ON or All OFF command	3900.00	4300.00	5/100





Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	
i-TOUCH RF 20A SWITCH (2 Module)				
102548	i-Touch Bell Push Switch Supply voltage 160-240V~ 2A relay output	2300.00	2500.00	5/100
102550	i-Touch 20A Switch Supply voltage 160-240V~, 20A relay output Operating load (CFL & LED): 200W Max Air conditioner: 2 ton Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	3600.00	4000.00	5/100
i-TOUCH RF DIMMER/FAN REGULATOR/DRAPE CONTROLLER (2M)				
102553	i-Touch Light Dimmer Supply voltage 160-240V~, Triac Technology with soft end & soft start function Operating load (LED) : 80W (Max) Incandescent Light: 40-450W Not suitable for Fan	3500.00	3800.00	5/100
102554	i-Touch Fan Regulator Supply voltage 160-240V~ Variable Capacitance based 4 step regulator Operating load (Fan) : 100W	3500.00	3800.00	5/100
102556	i-Touch Drape Controller Supply voltage 160-240V~ 2.5A relay output Electronic RF Drape Controller suitable for AC Motor Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	3800.00	4200.00	5/100
i-TOUCH DO NOT DISTURB/MAKE MY ROOM (2 Module)				
102560	i-Touch DND / Make My Room / Please Wait (Inside Room)	2100.00	2500.00	5/100
102561	i-Touch DND / Make My Room / Please Wait with Bell Push Switch (Outside Room) Supply voltage 160-240V~ (Inside & outside unit are connected to each other)	2300.00	2700.00	5/100
32A MAIN SWITCH (3 Module)				
103562	32A DP Operated by Key Tag 240V~, LED Supplied with Key Tag For key tag please refer Curve product 102164	620.00	682.00	5/150
32A MAIN SWITCH (2 Module)				
103563	32A DP Operated by Key Tag 240V~, LED Supplied with Key Tag	577.00	635.00	10/300
103564	Only Key Tag with Name Plate	107.00	116.00	N.A.
25A ELECTRONIC BADGE SWITCH (3 Module)				
103565	Electronic Switch with Smart Card 25A, 160-240V~ 50-60Hz with indicator (LED) & Integral relay having exit delay. For smart card please refer Curve product 103166	1529.00	1679.00	5/100

Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	
BELL INDICATOR (6 Module)				
106567	Bell Indicator for Call Display 6 Way with Name Plate 240V~	1699.00	1899.00	5/100
DND/MAKE MY ROOM 240~ (2 Module)				
102568	Do Not Disturb/Make My Room 240V~ 50-60Hz - Inside Room	439.00	479.00	10/300
102569	Do Not Disturb/Make My Room 240V~ 50-60Hz - Outside Room	469.00	509.00	10/300
USB CHARGER 240~				
101572	USB Charger - (1M) Supply voltage 160-240V~ 50-60Hz	840.00	925.00	10/300
102573	USB Charger - Double Port (2M) Supply voltage 160-240V~ 50-60Hz Output - 5V DC, 2A (Total)	990.00	1090.00	5/100
103574	USB Charger & 10A Int. Socket (3M) Supply voltage 160-240V~ 50-60Hz Output - 5V DC, 2A (Total)	1425.00	1565.00	5/100
AUDIO - VIDEO SOCKET (1 Module)				
101577	HDMI Socket	1000.00	1102.00	5/150
101579	Triple RCA Socket (Audio & Video)	660.00	720.00	5/150
ROUTER + EXTENDER (3 Module)				
103580*	Wi-Fi Router + Extender 300 MBPS wi-fi wireless router with Ethernet port, In-built USB port for internet connectivity and charging devices. Also support 4G dongle.	7899.00	8699.00	5/100
i-SENSE RF SWITCHES / DIMMER (2 Module)				
102585*	i-Sense 4 Switch Feather Touch Electronic RF Switch 6A 240V~ relay output	-	6500.00	5/100
102587*	i-Sense 2 Switch + 1 Dimmer Feather Touch Electronic RF Switch & Dimmer 6A 240V~ relay output Triac Technology with soft end & soft start function Operating load : 300-450W Radio Frequency : 433 Mhz Supply voltage 240V~ Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	-	6800.00	5/100
* introducing shortly				



Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	
i-SENSE RF FAN REGULATOR / DRAPE CONTROLLER (2 Module)				
102589*	i-Sense 2 Switch + 1 Fan Regulator Feather Touch Electronic RF Switch & Regulator 6A 240V~ relay output Moftset Technology with 5 steps fan coil speed Operating load (fan) : 100W	-	7300.00	5/100
102591*	i-Sense Drape Controller (2Curtain) Feather Touch Electronic RF Drape Controller 6A 240V~ relay output Radio Frequency : 433 Mhz Supply voltage 240V~ Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	-	5700.00	5/100
i-SENSE HOME STATION & TFT COLOUR DISPLAY (2 Module)				
102596*	i-Sense Home Station Feather Touch Electronic Home Station Switching Lights, Operating Door, Call acceptance, Volume control of ringing tone.	-	8999.00	5/100
102597*	i-Sense TFT Colour Display TFT Colour display with high quality picture even viewed at an angle Colour display switches on automatically when bell is actuated & can also be switch on manually Supply voltage 240V~	-	10999.00	5/100
CAMERA / IP CAMERA				
102598*	Camera (2M) Automatic day/night switching, Camera can be manually swivelled 20° horizontally & vertically Automatic background lighting compensation. Automatic gain control (AGC) Protection type IP 44	-	8999.00	5/100
103599*	IP Camera (3M) Automatic day/night switching, Camera can be manually swivelled 20° horizontally & vertically Automatic background lighting compensation. Automatic gain control (AGC) Supply voltage 160-240V~	-	14400.00	5/100
i-SENSE SENSO SWITCH (2 Module)				
102601	i-Sense Senso Switch NEW Supply voltage 160-240V~ 6A relay output Allows to control lights by simply passing the hand in front of it (Max distance 50mm). 2 units can be combined to control the same light (2 way function).	3999.00	4399.00	5/100
i-SENSE FM RADIO / BLUETOOTH PLAYER				
102603*	i-Sense FM Radio (2M) Feather touch FM radio with digital display 87-50 MHZ, 30 Station Memory with scanner	-	6100.00	5/100
103604	i-Sense FM Radio / Bluetooth (3M) FM & Bluetooth player Mode selection : FM & Bluetooth. NEW Audio output - Stereo Line out - Can be connected to any music system, home audio system, speakers i.e ceiling or inwall through amplifier via Line out, Supply voltage 240V~ - Amplifier supplied separately - 101320	7500.00	-	5/100

Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	Outer/ Master
STEREOPHONIC SPEAKER				
102610*	Stereophonic Speaker (2M)	-	850.00	5/100
103611*	Stereophonic Speaker (3M)	-	980.00	5/100
	Stereophonic Loud Speaker Load rating : 4W Impedance : 4 ohms			
i-FEEL RF SWITCHES / BELL PUSH SWITCH (2 Module)				
102626	i-Feel 2 Switch Supply voltage 160-240V~, 6A relay output Operating load (CFL & LED): 100W Max (per switch) Radio Frequency : 433.92 Mhz - Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	4500.00	5000.00	5/100
102630	i-Feel Bell Push Switch Supply voltage 160-240V~ 2A relay output	3000.00	3300.00	5/100
i-FEEL RF 20A SWITCH (2 Module)				
102632	i-Feel 20A Switch Supply voltage 160-240V~, 20A relay output Operating load (CFL & LED): 200W Max Air Conditioner: 2 ton Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	4700.00	5800.00	5/100
i-FEEL RF DIMMER / FAN REGULATOR (2 Module)				
102634*	i-Feel Light Dimmer Supply voltage 160-240V~, Triac Technology with soft end & soft start function Operating load LED: 80W Incandescent Light: 40-450W Not suitable for Fan	4500.00	5000.00	5/100
102636	i-Feel Fan Regulator Supply voltage 160-240V~ Variable Capacitance based 4 step regulator Operating load (Fan) : 100W Radio Frequency: 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	4500.00	5000.00	5/100
i-FEEL RF DRAPE CONTROLLER (2 Module)				
102638	i-Feel Drape Controller Supply voltage 160-240V~ 2.5A relay output Electronic RF Drape Controller suitable for AC Motor Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or web/mobile application via Gateway-101646	4600.00	5000.00	5/100
MODULAR COVER PLATE SUITCASE				
101645	Cover Plate Suitcase	-	4500.00	1/5
i-HOME AUTOMATION				
101646	i-Home Gateway - Compatible with RF Touch, i-Touch & i-Feel products. - Connects electrical functions through a router. - Control from anywhere using your smartphone / tablet / laptop / desktop. - Individual device control as well as scene settings. - Schedule individual devices as well as scenes. *introducing shortly	15999.00	-	1/



Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	
i-TOUCH WI-FI SWITCH (2 MODULE)			NEW	
102901	i-Touch - Wi-Fi 2 Switch Supply voltage 160-240V~, 6A relay output Operating load (CFL & LED): 100W Max (per switch) Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or via WI-FI Internet (without Gateway)	4999.00	5499.00	5/100
			NEW	
i-TOUCH WI-FI 20A SWITCH (2 Module)				
102903	i-Touch - Wi-Fi 20A Switch Supply voltage 160-240V~, 20A relay output Operating load (CFL & LED): 200W Max Air conditioner: 2 ton Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or via WI-FI Internet (without Gateway)	4999.00	5499.00	5/100
			NEW	
i-TOUCH WI-FI DIMMER/FAN REGULATOR (2 Module)				
102906	i-Touch Wi-Fi Dimmer Supply voltage 160-240V~, Triac Technology with soft end & soft start function Operating load (LED) : 80W (Max) Incandescent Light: 40-450W Not suitable for Fan	4999.00	5499.00	5/100
102907	i-Touch Wi-Fi Fan Regulator Supply voltage 160-240V~ Variable Capacitance based 4 step regulator Operating load (Fan) : 100W Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or via WI-FI Internet (without Gateway)	4999.00	5499.00	5/100
			NEW	
i-TOUCH WI-FI DRAPE CONTROLLER (2 Module)				
102909	i-Touch Wi-Fi Drape Controller Supply voltage 160-240V~ 2.5A relay output Electronic RF Drape Controller suitable for AC Motor Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or via WI-FI Internet (without Gateway)	4999.00	5499.00	5/100
			NEW	
i-TOUCH WI-FI SWITCH (3 MODULE)				
103913	i-Touch - Wi-Fi 4 Switch with Master Supply voltage 160-240V~, 6A relay output Operating load (CFL & LED): 100W Max (per switch) Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or via WI-FI Internet (without Gateway)	6600.00	7300.00	5/100
103916	i-Touch - Wi-Fi 2 Switch + 1 Fan Regulator with Master Supply voltage 160-240V~, 6A relay output Operating load (CFL & LED): 100W Max (per switch) Radio Frequency : 433.92 Mhz Can also be operated by RF Remote control-103268 or via WI-FI Internet (without Gateway)	7600.00	8400.00	5/100

Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	
SIGNAGE 240V~ 50-60Hz - (3 Module)				
103647	Foot Light (LED) Supply voltage 240V~ 50-60Hz	569.00	639.00	5/100
103648	Step Marker (LED) Supply voltage 240V~ 50-60Hz	516.00	578.00	5/100
103649	LED Indicator Supply voltage 240V~ 50-60Hz	515.00	570.00	5/100
103650	LED Signage Supply voltage 240V~ 50-60Hz	515.00	570.00	5/100
EDGE GLOW LED SIGNAGE 240V~ 50-60 Hz - (3 Module)				
103652	Edge Glow LED Signage* Supply voltage 240V~ 50-60Hz	445.00	490.00	5/100
103653	Edge Glow Square Slide customizable symbol	205.00	-	5/100
103654	Edge Glow Rectangle Slide customizable symbol	225.00	-	5/100
103655	Edge Glow L Type Slide customizable symbol	255.00	-	5/100
* Edge Glow Slide Supplied Separately				

SYMBOLS FOR CUSTOMIZABLE SLIDE OF EDGE GLOW LED SIGNAGE (LASER E



01



02



03



04



05



10



11



12



13



14



19



20



21



22



23



28



29



30



31



32



SYMBOLS FOR CUSTOMIZABLE SLIDE OF EDGE GLOW LED SIGNAGE (LASER ENGRAVING)



01



02



03



04



05



06



07



08



09



10



11



12



13



14



15



16



17



18



19



20



21



22



23



24



25



26



27



28



29



30



31



32



33




34



35





36



Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	
10AX i-PUSH SWITCHES 240V~ (1 Module)				
101681*	1 Way Switch	86.00	95.00	20/600
101682*	2 Way Switch	113.00	124.00	20/600
101683*	Bell Push Switch	119.00	131.00	20/600
10AX i-PUSH SWITCHES 240V~ (2 Module)				
102687*	1 Way Switch	129.00	142.00	10/300
102688*	2 Way Switch	157.00	173.00	10/300
102689*	Bell Push Switch	149.00	164.00	10/300
20AMP i-PUSH SWITCHES 240V~ (1Module)				
101693*	1 Way Switch	145.00	160.00	20/600
101694*	2 Way Switch	161.00	177.00	20/600
20AMP i-PUSH SWITCHES 240V~ (2 Module)				
102697*	1 Way Switch	172.00	189.00	10/300
102698*	2 Way Switch	202.00	222.00	10/300
32AMP i-PUSH DP SWITCH 240V~ (2 Module)				
102701*	32A DP Switch	315.00	347.00	10/300

Code	Item	MRP ₹		Pkg.
		Absolute White	Digital Silver Titanium Grey	
10AX i-PUSH LED SWITCHES 240V~ (1 Module)				
101705*	1 Way Switch with Indicator (LED)	99.00	109.00	20/600
101706*	2 Way Switch with Indicator (LED)	130.00	143.00	20/600
101707*	Bell Push Switch with Indicator (LED)	137.00	151.00	20/600
10AX i-PUSH LED SWITCHES 240V~ (2 Module)				
102711*	1 Way Switch with Indicator (LED)	148.00	163.00	10/300
102712*	2 Way Switch with Indicator (LED)	181.00	199.00	10/300
102713*	Bell Push Switch with Indicator (LED)	171.00	188.00	10/300
20AMP i-PUSH LED SWITCHES 240V~ (1 Module)				
101717*	1 Way Switch with Indicator (LED)	167.00	184.00	20/600
101718*	2 Way Switch with Indicator (LED)	185.00	204.00	20/600
20AMP i-PUSH LED SWITCHES 240V~ (2 Module)				
102721*	1 Way Switch with Indicator (LED)	198.00	218.00	10/300
102722*	2 Way Switch with Indicator (LED)	232.00	255.00	10/300
32AMP i-PUSH LED DP SWITCH 240V~ (2 Module)				
102725*	32A DP Switch with Indicator (LED)	362.00	398.00	10/300
* introducing shortly				





i-HOME Automation

INTELLIGENT GATEWAY

YOUR WORLD.
YOUR WAY.

WELCOME TO YOUR NEW, **INTELLIGENT** HOME!



Touch Products



i-Touch Products



i-Feel Products

You have installed the latest Touch technology switches from Goldmedal in your home. Now, take it to the next level with the i-Home Gateway! From lights to fans to drapes and other functions, you can control individual devices, set scenes or even schedule the operations of scenes and devices using your smartphone, tablet, desktop or any smart mobile device ... from anywhere in the world.



I-HOME GATEWAY

The i-Home Gateway Router connects to your network in a few simple steps. Once connected, it captures commands from your smartphone, tablet, laptop or PC from anywhere in the world. The commands are then relayed to the relevant RF devices in the premises.

SMARTPHONE

Access the i-Home Gateway Application on the move on your Smart Phone, Tablet or PC. The intuitive interface enables you to set scenes, create timers and schedule devices as per your need!

Goldmedal i-Home

Download the Goldmedal i-Home App on your smart device to control your RF Switches from anywhere in the world. Download now!



Scan with your smartphone to download the user manual



Code	Item	MRP ₹	Pkg. Out/Master
GALAXY RGB LED SPEAKER			
101311	Galaxy RGB LED Speaker Load rating: 25W Impedance: 8 ohms - Toughened glass for maximum safety - Amplifier supplied separately - Supplied with wireless RGB LED Controller - Supplied with touch RF remote.	10399.00	1/1
2 CHANNEL AMPLIFIER			
101320	2 Channel Amplifier Power supply 110-240V~ Amplifier type BTL (class D) Output power max RL=4 ohms 35W per channel Treble (@20KHz) +- 12 db Bass (@40Hz) +- 12 db Frequency (-3 db) 25Hz-20KHz	4999.00	5/50
GIFA AUDIO HUB			
GTX 501	Audio Hub (Wireless docking station + LED Lamp Speaker) - Charging and Playback iPod models and iPhone - Plays MP3/WMA music through USB/SD/MMC card - Composite video out for iPod and iPhone - Aux in jack for Mp3 playback - DC-in Jack with AC/DC adaptor included - Docking station for iPod and iPhone - 2.4GHz wireless transmission - 85 white LED light - Back house with standard lamp E27 screw - 2.25" x 1 full range speaker - Control up to 8 group wireless devices (Supplied with wireless LED lamp speaker GRX 501)	11599.00	5/50
GIFA AUDIO LIGHT			
GRX 501	Audio Light (Wireless LED Lamp Speaker) Music power: 20W Lighting power: 5W 2.25" x 1 full range speaker Digital Amplifier - 2.4GHz wireless transmission - 85 white LED light burns upto 30,000 hrs. - Back house with standard lamp E27 connector - Semi transparent cover with metal grill - Can be paired upto 8 group wireless devices (Combine with GIFA Wireless docking GTX 501)	5999.00	5/50
I-ROCK BLUETOOTH SPEAKER			
101351	I-Rock Wireless Bluetooth Speaker Bluetooth frequency: 2.40GHz-2.480 Ghz Operating Distance: 10 meters, class II Two speakers can be paired Working time: 16 hours (one speaker) Working time: 8 hours (When two speaker use together) Charging input: DC 12V (12V DC Power adaptor included)	5999.00	5/50

Code	Item	MRP ₹	Pkg. Out/Master
KBSOUND® DOCK			
KB 50902	KBSOUND DOCK Wireless accessories for use with KBSOUND SPACE and KBSOUND iSELECT kit. Contents: Dock (52591), Wireless Module (52592), RF Antenna and 5V power supply with interchangeable plugs for different countries (When integrated with KBSOUND iSELECT you can enjoy the radio or listen to the music from your iPod, iPhone or additional sound source using a 3.5mm jack)	9999.00	5/50
KBSOUND® SPACE			
KB 50398	KBSOUND SPACE An open-ended model that allows you to freely choose your loudspeaker and amplifier to fulfil your specific design requirement. Contents: REMOTE CONTROL - IR Remote control with display screen that shows RDS information and iPod/iPhone playing list. - Keypad to access different sound sources such as FM, iPod, Audio IN and DAB. - Allows you to control the volume, bass and treble levels, together with scanning and storing stations in the memory. ELECTRONIC MODULE (52398) - Designed to incorporate the radio frequency device that permits integration with the KBSOUND DOCK. - Includes an improved antenna (RF) connector for better FM reception. IR RECEIVER / TRANSMITTER - A separate IR bi-directional receiver/transmitter to communicate with the remote.	11800.00	5/50
KBSOUND® iSELECT KIT			
KB 50302	KBSOUND iSELECT (KIT) A perfect sound system that allows you to hear FM radio and music from iPod/iPhone or 3.5mm Line IN when integrated with KBSOUND DOCK. Contents: REMOTE CONTROL - IR Remote control with display screen that shows RDS information. - Keypad to access different sound sources such as FM, iPod, Audio IN and DAB. (when integrated with KBSOUND DOCK) - Allows you to control the volume, bass and treble levels, together with scanning and storing stations in the memory. ELECTRONIC MODULE (52391) - Designed to incorporate any radio frequency device that permits integration with the KBSOUND DOCK. - Includes an improved antenna (RF) connector for better FM reception. TWO 2.5" LOUDSPEAKER - 1.5W+ 1.5W stereo output - IR reciver/transmitter built-in to loudspeaker grille ANTENNA WIRE (76cm) PARALLEL LOUDSPEAKER CABLING (10M)	10999.00	5/50
LOUDSPEAKERS i500 SERIES			
KB 50301*	Loudspeakers (Active & Passive Speaker) ACTIVE SPEAKER (55101) - Data and sound (four channels) input line from the central unit. - 5+5W Sound Amplifier. - 8 Ohm two-way loudspeaker. - 8 Ohm output for Passive Loudspeaker. - Line output for an Auxiliary Active Loudspeaker. - Supply voltage 110-240V~ - Load rating 20W PASSIVE LOUDSPEAKER (55301) - Two-way 8 ohm loudspeaker.	-	N.A.
* Introducing shortly			





Bella White Jazz Plate with Curve White Jazz Switches

bella

You are mesmerized by the smile of a newborn; you wonder at the precision of a perfectly drawn line. Part dreamer, part realist, you synchronize your lifestyle with the demands of your heart and mind. You'll find an expression of this rare combination in the bella range of cover panels. Choose from the natural opulence of Bellewood panels, the elegant simplicity of White Jazz, the passion and energy of Metalik, the exuberance of Antik, or the soft-to-touch feel of Bellesoft. The options on offer are simply a myriad.

Bella Spirit Gold Plate with Nixon Titanium Grey Switches



Spirit Gold

BELLA COVER PLATES WITH MOUNTING FRAMES														
PLATES ➡	1M	2M	3M	3M*	4M	6M	7M*	8M(H)	8M*	8M (V)	8M(V)**	12M	16M	18M
COLOURS ↓	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹
White Jazz	78.00	78.00	97.00	97.00	113.00	152.00	186.00	192.00	219.00	192.00	192.00	240.00	264.00	311.00
Metalik	100.00	100.00	130.00	130.00	147.00	192.00	246.00	250.00	274.00	250.00	250.00	315.00	319.00	348.00
Belle Soft	109.00	109.00	142.00	142.00	167.00	215.00	271.00	274.00	299.00	274.00	274.00	348.00	355.00	381.00
Antik	131.00	131.00	164.00	164.00	191.00	254.00	337.00	343.00	367.00	343.00	343.00	384.00	440.00	486.00
Belle Wood	131.00	131.00	164.00	164.00	191.00	254.00	337.00	343.00	367.00	343.00	343.00	384.00	440.00	486.00
CODE ➡	30101	30201	30301	33301	30401	30601	30701	30801	32801	38801	39801	31201	31601	31801
Outer/Master➡	10/400	10/400	10/300	10/300	10/300	5/150	5/150	5/150	5/150	5/150	5/150	5/120	5/90	5/80
SIZE(mm) ➡	93x86	93x86	119x86	125x86	151x86	219x86	219x86	268x86	246x86	154x155	152x168	220x155	268x155	225x224

COVER PLATES * Without Partition **8 Module Vertical Big Size



1 - Module



2 - Module



3 - Module*



3 - Module



4 - Module



6 - Module



7 - Module*



8 - Module



8 - Module*



8 - Module Vertical



8 - Module Vertical**



12 - Module















16 - Module



18 - Module

MOUNTING FRAMES - Horizontal & Vertical Distance for Screwing (Dimensions in mm)





Cristallo Valentine Wine Plate with Curve Voltage Grey Emergency Light

Cristallo

With Curve Cristallo, you can create style statements that echo your true self. Choose the clear, transparent Memorio panels to showcase your memories from the past. Select the specially crafted Twixos panels with two-tone colours to lend a distinct verve to your interiors. Or opt for the Illumino panels that emit a soft, gentle glow that inspires as well as guides you in total darkness.... Whichever your choice, the Cristallo range doesn't just allow you to express yourself more clearly, it sets trends for the rest to follow.

Cristallo Herbal Spa Plate with Curve Digital Chrome Switches



CRISTALLO COVER PLATES WITH MOUNTING FRAMES

PLATES →	1M	2M	3M	3M*	4M	6M	8M (H)	8M*	8M (V)	12M	16M	18M
COLOURS ↓	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹
White Jazz	73.00	73.00	91.00	91.00	104.00	140.00	179.00	204.00	179.00	227.00	250.00	289.00
Memorio	169.00	169.00	203.00	203.00	245.00	313.00	426.00	426.00	426.00	469.00	563.00	642.00
Twixos/Metalik	145.00	145.00	187.00	187.00	215.00	265.00	320.00	320.00	320.00	390.00	435.00	499.00
Wood	170.00	170.00	221.00	221.00	258.00	304.00	375.00	375.00	375.00	457.00	508.00	569.00
CODE →	40101	40201	40301	43301	40401	40601	40801	42801	48801	41201	41601	41801
Outer/Master →	10/300	10/300	10/200	10/200	10/200	5/120	5/120	5/120	5/100	5/80	5/40	5/40
SIZE(mm) →	92x86	92x86	115x86	122x86	150x86	222x86	264x86	248x86	150x151	222x151	264x151	223x217

COVER PLATES

* Without Partition



1 - Module



2 - Module



3 - Module*



3 - Module



4 - Module



6 - Module




8 - Module (H)




8 - Module*



8 - Module (V)



12 - Module











16 - Module



18 - Module

CRISTALLO MOUNTING FRAME - Horizontal & Vertical Distance for Screwing (Dimensions in mm)



QUORRA

The Crystallight cover frames are precisely crafted for that perfect finish – right from their delicately frosted facade to the exquisite chamfer around the edges. Like naturally occurring crystals, the Crystallight cover plate exhibits a rare brilliance that creates an aura of sophisticated elegance around it. Unmatched in their beauty and finish, these cover plates are without doubt, the definitive symbol of luxury on your walls.

Crystallight

Crystallight Honey Mint Plate with Nixon Titanium Grey Gas Detector



Crystallight Honey Mint Plate with Nixon Titanium Grey Gas Detector

Crystallight Grey Ghost Plate with Nixon Titanium Grey Switches



QUORRA BASIC COVER PLATES

PLATES →	1M	2M	3M	4M	4M*	6M	6M*	8M (H)*	8M	8M*	8M (V)	12M	18M
					(H&V)**		(H&V)**			(H&V)**			
COLOURS ↓	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹
Satin White	-	105.00	133.00	165.00	-	213.00	-	255.00	255.00	-	255.00	323.00	451.00
Metallic	-	173.00	192.00	226.00	-	271.00	-	328.00	328.00	-	328.00	452.00	554.00
Wood	-	203.00	226.00	282.00	-	328.00	-	407.00	407.00	-	407.00	554.00	735.00
Outer/Master →	-	10/400	10/300	10/300	-	5/150	-	5/150	5/150	-	5/150	5/120	5/80

QUORRA EXCLUSIVE COVER PLATES

Glass	-	349.00	503.00	668.00	-	941.00	-	1024.00	1024.00	-	1024.00	1235.00	1513.00
SIZE(mm) →	-	101x87	124x87	148x87	-	222x87	-	271x87	248x87	-	148x154	222x154	222x220

QUORRA PREMIUM COVER PLATES

Glass	448.00	448.00	633.00	834.00	917.00	1123.00	1236.00	-	1267.00	1391.00	1267.00	1499.00	1818.00
CODE →	50101	50201	53301	50401	50403	50601	50603	50801	52801	50803	58801	51201	51801
Outer/Master →	10/200	10/200	10/200	10/150	10/150	5/100	5/100		5/100	5/100	5/100	5/75	5/40
SIZE(mm) →	106x91	106x91	128x91	152x91	152x91	226x91	226x91	-	251x91	269x91	152x157	226x157	226x224



1 - Module



2 - Module



3 - Module



4 - Module



4 - Module (2+2)



6 - Module



6 - Module (2+2+2)



8 - Module (H)*



8 - Module



8 - Module (2+2+2+2)



8 - Module (V)



12 - Module




18 - Module

* With Partition Plates


**Suitable for Horizontal & Vertical Installation

QUORRA MOUNTING FRAME - Horizontal & Vertical Distance for Screwing (Dimensions in mm)

Quorra Frame →	2M	3M	4M	4M	6M	6M	8M (H)*	8M	8M	8M (V)	12M	18M
				(H&V)**		(H&V)**			(H&V)**			
MRP ₹ →	50.00	61.00	70.00	74.00	102.00	110.00	128.00	128.00	138.00	128.00	164.00	222.00
CODE →	50202	53302	50402	50404	50602	50604	50802	52802	50804	58802	51202	51802
Outer/Master →	25/750	25/750	25/500	25/500	20/240	20/240	20/240	20/240	20/240	20/240	20/160	10/80



61



86



121




121



195




195



210

195


159



240


225

159




61.5

121



68

195



67.5

67.5

194.5



Xtreme Brushed Silver Plate with Nixon Digital Silver Step Marker

QUORRA


Fashioned from wood, glass, metal, chrome, stone and wool, the Quorra Xtreme cover frames are distinguished by their sleek chrome encasing. Visible from the sides as well as the front, the chrome border creates an aura of luxury and sophistication around the frames. While the Quorra Xtreme is superlative in every respect, the Quorra Xtreme is the epitome of flawless grandeur; diamond cut and polished to perfection. Painstakingly crafted, Quorra cover frames symbolizes the absolute pinnacle of luxurious living.

XTREME

Xtreme Brushed Silver Plate with 3M Bluetooth FM Player



QUORRA CRYSTALLIGHT / DIAMOND COVER PLATES													
PLATES	➡	1M	2M	3M	4M	4M*	6M	6M*	8M	8M*	8M (V)	12M	18M
						(H&V)**		(H&V)**		(H&V)**			
COLOURS	⬇	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹
Glass (diamond cut)		505.00	505.00	711.00	937.00	1030.00	1339.00	1421.00	1504.00	1566.00	1504.00	1689.00	2070.00
Diamond (studded)		-	-	4399.00	-	-	-	-	-	-	-	-	-
QUORRA XTREME COVER PLATES													
Wood		422.00	422.00	606.00	800.00	881.00	1136.00	1228.00	1301.00	1357.00	1301.00	1492.00	1828.00
Steel		509.00	509.00	725.00	963.00	1059.00	1363.00	1476.00	1571.00	1629.00	1571.00	1785.00	2196.00
Aluminum		509.00	509.00	725.00	963.00	1059.00	1363.00	1476.00	1571.00	1629.00	1571.00	1785.00	2196.00
CODE	➡	50101	50201	53301	50401	50403	50601	50603	52801	50803	58801	51201	51801
Outer/Master	➡	10/200	10/200	10/200	10/150	10/150	5/100	5/100	5/100	5/100	5/100	5/75	5/40
SIZE(mm)	➡	106x91	106x91	128x91	152x91	152x91	226x91	226x91	251x91	269x91	152x157	226x157	226x224



* With Partition Plates
**Suitable for Horizontal & Vertical Installation

QUORRA XTREME COVER PLATES												
1 - Module	2 - Module	3 - Module	4 - Module	4 - Module (2+2)	6 - Module	6 - Module (2+2+2)	8 - Module	8 - Module (2+2+2+2)	8 - Module (V)	12 - Module	18 - Module	







Grazia, the thinnest, most stylish cover frames you can imagine, are available in Basic and Premium options. Both Basic and Premium cover frames accentuate the style quotient of your rooms with their distinctively slender appearance. The Grazia Premium has an additional chrome side casing which highlights the delightful slimmness of these cover frames. Choose from either of these options to make a style statement that will always be in.



GRAZIA BASIC COVER PLATES WITH MOUNTING FRAMES																	
PLATES ➡	1M	2M	3M	3M*	4M	4M*	6M	6M*	8M	8M*	8M	9M*	12M	12M*	12M*	16M	18M
						(H&V)**		(H&V)**		(H&V)**	(V)				(H&V)**		
COLOURS ↓	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹
Pure Glossy	81.00	81.00	100.00	100.00	124.00	124.00	176.00	176.00	221.00	221.00	221.00	237.00	253.00	253.00	253.00	281.00	321.00
Metallic	117.00	117.00	152.00	152.00	186.00	186.00	254.00	254.00	318.00	318.00	318.00	341.00	372.00	372.00	372.00	409.00	411.00
Wood	156.00	156.00	212.00	212.00	260.00	260.00	354.00	354.00	484.00	484.00	484.00	488.00	496.00	496.00	496.00	545.00	579.00
GRAZIA PREMIUM COVER PLATES WITH MOUNTING FRAMES																	
Pure Glossy	95.00	95.00	117.00	117.00	143.00	143.00	205.00	205.00	260.00	260.00	260.00	278.00	297.00	297.00	297.00	334.00	378.00
CODE ➡	60101	60201	60301	60303	60401	60404	60601	60604	60801	60804	68801	60901	61201	61204	61207	61601	61801
Outer/Master	10/400	10/400	10/300	10/300	10/300	10/300	5/150	5/150	5/150	5/150	5/150	5/150	5/120	5/120	5/120	5/90	5/80
SIZE(mm) ➡	101x93	101x93	124x93	124x93	148x93	154x93	221x93	226x93	247x93	280x93	148x159	280x93	222x160	226x160	226x160	246x159	222x226

* With Partition Plates

****Suitable for Horizontal & Vertical Installation**



Technical drawings of 15 different GRAZIA mounting frame profiles, showing their dimensions in millimeters (mm). The profiles are arranged in three rows:

- Row 1 (Horizontal Profiles):**
 - Profile 1: Square frame, width 61 mm.
 - Profile 2: Square frame, width 86 mm.
 - Profile 3: Square frame, width 86 mm.
 - Profile 4: Horizontal rectangle, width 121 mm.
 - Profile 5: Two vertical rectangles, width 121 mm.
 - Profile 6: Long horizontal rectangle, width 195 mm.
- Row 2 (Horizontal Profiles):**
 - Profile 7: Three vertical rectangles, width 195 mm.
 - Profile 8: Long horizontal rectangle, width 195 mm, height 66 mm.
 - Profile 9: Three vertical rectangles, width 195 mm, height 66 mm.
 - Profile 10: Three vertical rectangles, width 195 mm, height 66 mm.
- Row 3 (Vertical Profiles):**
 - Profile 11: Two horizontal rectangles, width 121 mm, height 61.5 mm.
 - Profile 12: Two horizontal rectangles, width 195 mm, height 68 mm.
 - Profile 13: Two horizontal rectangles, width 195 mm, height 68 mm.
 - Profile 14: Six small squares (2x3 grid), width 195 mm, height 68 mm.
 - Profile 15: Three horizontal rectangles, width 195 mm, height 67 mm.



Glassio Black Glossy Plate with Digital Silver I-touch Bellpush

GLASSIO

The Glassio is without doubt a classical beauty – exhibiting a smooth, glossy frontage, with soft, rounded edges and a demeanour that's sophisticated yet warm and welcoming. The elegantly flared corners reflect and absorb light in a manner that adds depth and character to the cover plate. This interplay of light and shadow also creates a sinuous effect that makes Glassio the definitive artefact on your wall.

Glassio Black Glossy Plate with Digital Silver RF I-touch Switches



GLASSIO COVER PLATES WITH MOUNTING FRAMES															
PLATES ➡	1M	2M	3M	4M	4M*	6M	6M*	8M	8M*	8M	9M*	12M	12M*	16M*	18M
					(H&V)**		(H&V)**		(H&V)**	(V)			(H&V)**		
COLOURS ↓	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹
Pure Glossy	95.00	95.00	117.00	143.00	143.00	205.00	205.00	260.00	260.00	260.00	278.00	297.00	297.00	334.00	378.00
Metallic	129.00	129.00	168.00	205.00	205.00	280.00	280.00	350.00	350.00	350.00	377.00	410.00	410.00	462.00	493.00
Metal Krome	192.00	192.00	268.00	325.00	325.00	436.00	436.00	586.00	586.00	586.00	597.00	602.00	602.00	661.00	697.00
VelvetTouch	187.00	187.00	255.00	314.00	314.00	420.00	420.00	575.00	575.00	575.00	583.00	589.00	589.00	646.00	686.00
Wood	171.00	171.00	233.00	285.00	285.00	389.00	389.00	534.00	534.00	534.00	542.00	546.00	546.00	605.00	638.00
CODE ➡	120101	120201	120301	120401	120404	120601	120604	120801	120804	128801	120901	121201	121204	121601	121801
Outer/Master➡	10/500	10/500	10/400	10/400	10/400	5/200	5/200	5/200	5/200	5/200	5/200	5/120	5/120	5/90	5/80
SIZE(mm) ➡	92x90	92x90	120x90	146x90	152x90	219x90	219x90	244x90	264x90	152x168	280x90	219x156	219x156	244x156	219x223

* With Partition Plates

**Suitable for Horizontal & Vertical Installation



1 - Module



2 - Module



3 - Module



4 - Module



4 - Module* (2x2)



6 - Module



6 - Module* (2x3)



8 - Module



8 - Module* (2x4)



8 - Module (V)



12 - Module














12 - Module* (2x3x2)



18 - Module

GLASSIO MOUNTING FRAMES - Horizontal & Vertical Distance for Screwing (Dimensions in mm)





Wega Jungle Wenge Plate with Titanium Grey G-dip Switches

WEGA


Unconventional yet perfectly symmetrical, bold yet elegant - the Wega cover plates are stunning in every way. An example of imagination and engineering precision of the highest order, the Wega, with its distinctive appearance stands out from the clutter with ease. Its undulating shape creates a magical interplay of light that adds to its visual appeal. The colours appear dazzling, mesmerizing and even playful, depending on the prevailing light conditions.

Wega Dark Espresso Plate with Titanium Grey Step Marker




WEGA COVER PLATES WITH MOUNTING FRAMES													NEW
PLATES →	1M	2M	3M	4M	4M	6M	6M*	8M	8M*	8M	12M	18M	
					(H&V)**		(H&V)**		(H&V)**	(V)			
COLOURS ↓	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	MRP ₹	
Pure Glossy	-	160.00	210.00	255.00	255.00	320.00	305.00	395.00	380.00	395.00	460.00	690.00	
Metallic	-	240.00	280.00	340.00	340.00	390.00	375.00	480.00	465.00	480.00	650.00	830.00	
VelvetTouch	-	330.00	380.00	460.00	460.00	540.00	525.00	685.00	670.00	685.00	900.00	1190.00	
Wood	-	275.00	320.00	380.00	380.00	450.00	435.00	570.00	555.00	570.00	750.00	990.00	
CODE →	200101	200201	200301	200401	200403	200601	200603	200801	200803	208801	201201	201801	
Outer/Master →	10/400	10/400	10/300	10/300	10/300	5/150	5/150	5/150	5/150	5/150	5/120	5/80	
SIZE(mm) →	94x92	94x92	122x92	148x92	154x92	221x92	221x92	246x92	266x92	154x170	221x159	221x225	

* With Partition Plates **Suitable for Horizontal & Vertical Installation



WEGA MOUNTING FRAMES - Horizontal & Vertical Distance for Screwing (Dimensions in mm)



COLOURS OF COVER PLATES

PURE GLOSSY



01 - Absolute White

METALLIC



05 - Champagne Gold



06 - Titanium Silver



07 - Titanium Grey

WOOD



11 - Junglee Wenge



12 - Dark Espresso

Colours shown may not match actual product colours due to printing limitations.

COLOURS OF COVER PLATES

WHITE JAZZ



01 - White Jazz

METALIK



06 - Spirit Gold



07 - Silver Streak



08 - Copper

BELLESOFT



09 - Digital Chrome



16 - Pepper Leaf



17 - Deep Currant



18 - Blu Caspian

ANTI-K



21 - Voltage Grey



31 - Antik Copper

BELLEWOOD



41 - African Wenge



44 - Burma Teak

MEMORIO



01 - Memorio



Barbie

WHITE JAZZ



02 - White Jazz

TWIXOS



12 - Valentine Wine



13 - Herbal Spa



14 - Plum Island



15 - Ice Grey

Metalik



21 - Ocean Pearl



22 - Gold



23 - Silver

Wood



26 - Fumed Oak

Colours shown may not match actual product colours due to printing limitations.

COLOURS OF COVER PLATES

PURE GLOSSY



01- Absolute White



02 - Black Glossy



03- Ivory Gold

METALLIC



06- Gold Mist*



07 - Digital Silver*



08 - Digital Chrome*

METAL KROME



11- Hyper Chrome



12- Satin Chrome*



13- Miami Gold*



14- Copper Cola*



15- French Wine*



16- Toronto Red*



17- Charcoal Brown*

VELVET TOUCH



21- Apple Green*



22- Mexican Peach*



23- Cherry Red*



24- Black Grape*

WOOD



31- Black Walnut



32- Italian Espresso*



33 - Zebra Wood*



34- Moughal Teak

COLOURS OF COVER PLATES

PURE GLOSSY



01- Absolute White



02 - Black Glossy*

METALLIC



06- Gold Mist*



07 - Digital Silver

WOOD



11- Wild Wenge*



12- Italian Espresso



13 - Zebra Wood



14 - Moughal Teak*

PURE GLOSSY



20- Absolute White



21 - Black Glossy*

premium

COLOURS OF COVER PLATES

EXCLUSIVE

GLASS



01 - Snow White



02 - Red Wine



03 - Green Ice



04 - Rich Black

CORIAN®



05 - Hot Red



11 - Glacier White



12 - Lava Grey



13 - Berry Red

BASIC



16 - Satin White

METALLIC



17 - Digital Silver

BASIC WOOD



18 - Fumed Oak

GLASS



21 - Snow White



22 - Red Wine



23 - Green Ice



24 - Rich Black



25 - Hot Red



36 - Snow White*



37 - Hot Red*

Available only in 3 Module & 6 Module

COLOURS OF COVER PLATES

GLASS



41 - Mint Ice



42 - Honey Sapphire



43 - Black Diamond*



44 - Ruby Red*



45 - Magic Mirror



46 - Honey Mint



47 - Grey Ghost

PLUS



101 - Honey Dew

DIAMOND Crystal Studded



49 - Star Shine*



50 - Night Sky*

Available only in 3 Module

WOOD



56 - Wenge*



57 - Sycamore*



58 - Zebrano*

STEEL



81 - Brushed Steel*



82 - Signature Steel*

ALUMINIUM



86 - Brushed Black




87 - Brushed Silver

Colours shown may not match actual product colours due to printing limitations.



FLUSH MOUNTING METAL GANG BOXES (GALVANIZED)									
GANG BOX ➡	1 & 2M	3M	4M	6M	8M(H)	8M(V)	12M	16M	18M
MRP ₹ ⬇	61.00	80.00	99.00	123.00	160.00	160.00	201.00	247.00	283.00
CODE	70201	70302	70403	70604	70805	78806	71207	71608	71809
Outer/Master	10/120	10/120	10/120	5/80	5/80	5/60	5/45	5/40	5/40
SIZE (WxHxL) mm	75x73x51	100x73x51	135x73x51	208x73x51	230x73x51	135x130x60	209x130x60	230x144x60	209x200x60

METAL GANG BOXES





FLUSH MOUNTING PLASTIC GANG BOXES (FIRE RESISTANT)									
GANG BOX ➡	1 & 2M	3M	4M	6M	8M(H)	8M(V)	12M	16M	18M
MRP ₹ ⬇	54.00	62.00	74.00	97.00	112.00	112.00	156.00	182.00	221.00
CODE	80201	80302	80403	80604	80805	88806	81207	81608	81809
Outer/Master	10/120	10/120	10/120	5/80	5/80	5/60	5/45	5/40	5/40
SIZE (WxHxL) mm	79x82x50	104x82x50	139x82x50	213x82x50	263x86x55	141x142x55	213x143x55	249x150x55	214x211x58

PLASTIC GANG BOXES



SURFACE MOUNTING PLASTIC GANG BOXES (FIRE RESISTANT)										
GANG BOX ➡	1 & 2M	3M	3M	4M	6M	8M(H)	8M(V)	12M	16M	18M
MRP ₹ ⬇	55.00	80.00	80.00	85.00	107.00	136.00	136.00	173.00	193.00	230.00
CODE	90201	90302	93303	90404	90605	90806	98807	91208	91609	91810
Outer/Master	10/120	10/120	10/120	10/120	5/80	5/80	5/60	5/45	5/40	5/40
SIZE (WxHxL) mm	92x85x48	124x85x48	118x85x48	150x85x48	218x85x48	267x85x48	153x154x48	219x154x48	267x154x48	224x227x48

PLASTIC SURFACE GANG BOXES



G- SURFACE MOUNTING PLASTIC GANG BOXES (FIRE RESISTANT) Suitable for Grazia & Glassio												
GANG BOX ➡	1 & 2M	3M	4M	4M (HV)	6M	8M(H)	8M(HV)	8M (V)	9M	12M	16M	18M
MRP ₹ ⬇	59.00	90.00	99.00	99.00	126.00	164.00	164.00	164.00	185.00	202.00	234.00	273.00
CODE	100201	100302	100403	100404	100605	100806	100807	108808	100909	101212	101611	101812
Outer/Master	10/120	10/120	10/120	10/120	5/80	5/80	5/80	5/60	5/80	5/45	5/40	5/40
SIZE (WxHxL) mm	91x89x48	119x89x48	145x89x48	150x89x48	218x89x48	243x89x48	263x89x48	154x155x48	279x89x48	218x155x48	243x155x48	218x222x48

PLASTIC SURFACE GANG BOXES

Note: Not suitable for Grazia 8M (V) Plate



A wire is not just a wire. It can prove to be life-saving in case of an adversity.

As a user, it's really difficult to judge the quality of a wire. They all look the same.

How, for example, can you make out the quality of the copper used? Do they use superior copper of electrolytic grade 99.97%? Does it have the ISI mark of quality: IS 694 Part I, to be specific? How about the insulation – is it fire resistant and emit low smoke in case it burns? Does it have the highest possible melting threshold – of at least 100° C?

You may try to get all these information while buying your wires... or you could simply check for the Goldmedal Wireman on the wire packaging you buy!




WIRED FOR SAFETY

The Goldmedal Wireman makes choosing the highest quality wires so much easier!

Goldmedal is aware that a major reason for most fire accidents are the use of low-quality wires and cables with inferior quality insulation or conductor. Like most accidents, the majority of these electrical incidents are preventable – if high quality wires and cables are used! The Wireman is the symbol of the high standards adhered by Goldmedal. Consider him your safety shield. A symbol that you can rely on!

Change to
Goldmedal
Wires.
Switch to the
Wireman.





The LED lights by Goldmedal are designed to set new benchmarks in performance and aesthetics. Engineered for quick, cost-effective installation and easy retrofitting, these LED lights and panels are packed with features and benefits. All LED lights are also available in three basic colours: warm white, natural white and cool white. Select the colour that best suits your preference. Stylish in appearance, each of these lighting devices are durable enough to last years of use.

a gush of fresh **air** arriving shortly

Excellent airflow, silent operation, energy efficiency and high quality looks are just some of the parameters of the new **Goldmedal** range of fans. Arriving shortly, at a store near you!

SHOWROOMS

MUMBAI

E-1, Laxmi Industrial Estate,
New Link Road,
Andheri West, Mumbai - 400053
Tel: +91-22-40031075
Email: info@goldmedalindia.com

KOLKATA

Merlin Homeland Mall, Shop No. 123, 1st Floor,
18B, Ashutosh Mukherjee Road, Bhawanipore,
Kolkata - 700 020. Tel: +91- 8336956017
Email: kolkata@goldmedalindia.com

HYDERABAD

S-1, Ground Floor, Kalphakunja
Apartment 5-2-84/87, Jambagh,
Hyderabad-500095, Telangana
Tel: +91-40-24610722 / 9849172122
Email: hyderabad@goldmedalindia.com

VIJAYAWADA

D. NO. 11-33-15, Tatakulavari Street,
Vijayawada-520 001, Andhra Pradesh
Tel: +91-866-6542000 / 8977574737
Email: vijayawada@goldmedalindia.com

AHMEDABAD

401, Amrutlal Pole, Opp. Bank of Baroda,
Khadiya-Golwad, Ahmedabad-380001, Gujarat
Tel: +91-79-22155201
Email: ahmedabad@goldmedalindia.com

JAIPUR

Goldmedal Electricals Private Limited
55, New Aatish Market, Mansarovar,
Jaipur - Rajasthan.
Tel: +91-291-3261955
Email: rajasthan@goldmedalindia.com

JALORE

Head Post Office Road,
Jalore - 343001, Rajasthan, India.
Tel: +91-2973222568
Email: rajasthan@goldmedalindia.com

CALICUT

Shaherzad Shopping Complex, CH Flyover Junction,
Cherrooty Road, Calicut - 673001, Kerala.
Tel: +91-9048743111
Email: calicut@goldmedalindia.com

MUMBAI

1, Floor-GDR, Plot-157-161, Zaveri Bldg,
Shamaldas Gandhi Marg, Loharchawl,
Kalbadevi, Mumbai - 400002.
Tel: +91-22-39567558
Email: info@goldmedalindia.com

SILIGURI

International Market, 2nd Floor, Shop No. 3 & 4,
Sevoke Road, Near Panitanki More,
Beside Sky Star Building, Siliguri - 734001,
West Bengal. Tel: +91-8336907033
Email: ritesh.g@goldmedalindia.com

VIJAYAWADA

2nd Floor, PVP Mall, Mahatma Gandhi Rd,
Labbipet, Vijayawada-520010, Andhra Pradesh
Tel: +91-9885676400
Email: vijayawada@goldmedalindia.com

HUBBALLI

Umachagi Complex, Koppikar Road, Hubballi,
Karnataka-580020
Tel: +91-0836-4258466
Email: bangalore@goldmedalindia.com

NOIDA

H-204, Sec-63
Noida, Uttar Pradesh - 201307
Tel: +91-120-4135901
Email: noida@goldmedalindia.com

KADAPA

21/96, Reddy Complex, Near 7 Road Circle,
Opp. Reddy Express, Kadapa- 516001, Andhra
Pradesh.
Tel: +91-9885676400
Email: vijayawada@goldmedalindia.com

COCHIN

3rd Floor, G K Arcade, Palarivattom Bye Pass Junction,
Ernakulam - 682028, Kerala.
Tel: +91-9324936290
Email: calicut@goldmedalindia.com

BRANCHES

WEST

MUMBAI

Shop No.20, 3rd Floor, Old Hanuman
Lane, Dhanji Mulji Dela, Kalbadevi Road
Marine Line, Mumbai-400002,
Maharashtra. Tel: +91-22-39567558
Email: info@goldmedalindia.com

PALGHAR

Bldg. No.5, Shah Industrial Estate,
Opp. Masjid, Mourya Naka, Sativali,
Vasai (E), Palghar-401208, Maharashtra
Tel: +91-22-42023026
Email: mumbai@goldmedalindia.com

PUNE

741/1, Shop No.1 & 2, Ground Floor,
Kushal Sagar Complex, Ganesh Road,
Budwar Peth, Pune - 411002,
Maharashtra, India. Tel: +91-
9822098620
Email: pune@goldmedalindia.com

AHMEDABAD

401, Amrutlal Pole, Golwad, Khadia,
Ahmedabad-380001, Gujarat
Tel: +91-79-22155201
Email: ahmedabad@goldmedalindia.com

BHOPAL

Sector A-85, Behind Anant Shree
Hospital, Indrapuri, Raisen Road,
Bhopal, Madhya Pradesh - 462021
Tel: +91-755-2580040
Email: bhopal@goldmedalindia.com

RAIPUR

2nd Floor, GST Tower, Near Agrasen
Bhawan, Jawahar Nagar, M.G. Road,
Raipur-492001, Chhattisgarh.
Tel: +91-771-4910078
Email: raipur@goldmedalindia.com

EAST

KOLKATA

1/1B/4, Ram Krishna Naskar Lane
Beliaghata, Kolkata - 700010
West Bengal.
Tel: +91-8336907040
Email: kolkata@goldmedalindia.com

PATNA

Ground Floor, High Plot No.4H/59,
Bahadurpur Housing Colony,
Lohia Nagar, Agamkuan, Patna-800020
Bihar. Tel: +91-9386897126
Email: patna@goldmedalindia.com

RANCHI

Plot No.568, Village Kokar, P. S. Sadar,
Golden Camp Warehouse, Ranchi,
Ranchi-834001, Jharkhand, India.
Tel: +91-0620-4585602
Email: ranchi@goldmedalindia.com

GUWAHATI

NH-37, Near Tirupati Parking,
Opp. Audi Showroom,
Guwahati-781006, Assam, India.
Tel: +91- 9718077070.
Email: guwahati@goldmedalindia.com

CUTTACK

Plot No.1047 & 1048, Opp. Axis Bank,
Jagatpur, Cuttack- 754021, Odisha
(Orissa), India. Tel: +91- 9437452303
Email: cuttack@goldmedalindia.com

NORTH

JODHPUR

G-651/652 M.I.A, 2nd Phase,
Near Delhi Rajasthan Transport,
Jodhpur, Rajasthan - 342005.
Tel: +91-291-3261955
Email: rajasthan@goldmedalindia.com

LUCKNOW

C1 - 5, Phase-2, Transport Nagar,
Lucknow - 226012, Uttar Pradesh, India.
Tel: +91-8780887400
Email: lucknow@goldmedalindia.com

NOIDA

H-204, Sec-63, Noida,
Uttar Pradesh - 201307
Tel: +91-120-4135901
Email: noida@goldmedalindia.com

DEHRADUN

A-39, Transport Nagar, Sewla Khurd,
Dehradun-248001, Uttarakhand, India.
Tel: +91-135 - 2649522
Email: dehradun@goldmedalindia.com

MOHALI

855/C, Janta Industrial Estate,
Sector - 82, Mohali, Mohali-160055,
Punjab, India.
Customer Care : 1800 209 0234
Email: mohali@goldmedalindia.com

SOUTH

BENGALURU

No.7, G.K. Temple street,
Chickpet Cross, Bengaluru,
Karnataka - 560053
Tel: +91-80-41687799/41759977
Email: bangalore@goldmedalindia.com

VIJAYAWADA

20-127/2, By Pass Road, Gollapudi,
Krishna District, Vijayawada - 521225,
Andhra Pradesh
Tel: +91-866-6542333/6542888
Email: vijayawada@goldmedalindia.com

HYDERABAD

Central Warehouse Corporation
A2, P B No 34, Behind Gandhi Bhavan,
Nampally, Hyderabad-500001, Telangana
Tel: +91-40-29706099
Email: hydteam@goldmedalindia.com

CHENNAI

92/6, Nattu Pillaiar Koil Street
Sowcarpet, Chennai - 600001,
Tamil Nadu, India.
Tel: +91-44-49521008
Email: chennai@goldmedalindia.com

CALICUT

Door No.1/60, Baby Marine Export
Compound, Temple Road,
West Hill Calicut, Kozhikode (Calicut),
Kozhikode-673005, Kerala, India.
Customer Care : 1800 209 0234
Email: calicut@goldmedalindia.com



Goldmedal Electricals Pvt. Ltd.

Bldg. No. 2, Shripal Industrial Estate,
Valiv Road, Vasai East, Palghar-401208,
Maharashtra, India.

Web: www.goldmedalindia.com
Email: info@goldmedalindia.com

Goldmedal, Curve, Nixon & Air are registered trademarks of Goldmedal Electricals Pvt. Ltd. Copyright protected by Goldmedal. No part of this diary may be printed or duplicated without consent of Goldmedal Electricals Pvt. Ltd. Patent, Trademark & Designs protected. Infringement is liable for prosecution. Imitation of graphics is a punishable offence. Brand identity, concept & design of Goldmedal Electricals Pvt. Ltd.



SCAN this QR-code from your
smart phone to visit our website

